

Food Handling Permit

Public Health Act - Food Regulation

Issued To: 2438207 Alberta Ltd.

Trade Name: Next Gen DayCare

Location: 261 - 200 Southridge Drive
Okotoks AB T1S 0B2
Canada

Terms and
Conditions: Minimal food handling only.

Permit Valid: September 01, 2025 - August 31, 2026

Issued By: **Alberta Health Services**

Per:



Lynne Navratil, MHS, BSc, CPHI(C)
Director, Calgary Zone
Environmental Public Health
Safe Healthy Environments

This permit is valid between the dates above, or until it is suspended or cancelled pursuant to the Food Regulation under the Public Health Act. The permit is not transferable and is the property of Alberta Health Services. An operator must ensure the permit is displayed in a conspicuous location in the approved food establishment where it may be easily viewed by clients/patrons.

2438207 Alberta Ltd.
Next Gen DayCare
261 - 200 Southridge Drive
Okotoks AB T1S 0B2
Canada

****Important Information****

Please review the terms and conditions noted on the Food Handling Permit. These terms and conditions are determined by Alberta Health Services based on the available facilities and services offered at the food establishment indicated above.

An operator must ensure that the terms and conditions of the permit are not contravened. This can result in closure and/or permit suspension.

Approval by Alberta Health Services is required to make any changes to the terms and conditions. Contact foodpermits@ahs.ca or 1-833-476-4743 for any questions regarding your permit or conditions.

THERE IS A \$25 CHARGE FOR REPLACEMENT PERMITS.

Inspection Date	Inspection Type	Inspection SubType	Inspection ID
2026-05-15	Risk Management Inspection	Offsite Assessment	0000664921

INSPECTION REPORT

Name of Establishment		Owner / Agents Name	
Main Unit: Next Gen DayCare Subunit: Next Gen DayCare - Childcare, Facility Based Subunit ID: 0000302982		2438207 Alberta Ltd. Report Discussed With: N/A Report Sent To: Nik Delivery Method: Email	
Site Address	Rural Address	Mailing Address	
261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada		261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada	

Opening Comments

Received photographs of corrected violations.

Compliance Record
1 Maintenance (Non-Critical) - Non-Critical
1.1 18. Is the facility and equipment being maintained in a suitable manner (Non-Critical)?

First Cited: 2026-05-07

Compliance Result: YES - In Compliance

Description: Base of the faucet on the hand washing stations outside the bathroom were observed to be loose.

**Secure base of the faucet.

***CORRECTED.

Target Completion Date: 2026-06-01

Closing Comments

Thank you!

Inspection Actions Taken:

- No Action Required
- Violations Corrected

Should you have any questions regarding this report, you can get in touch with me using the contact information below.

Jessica Lee

Public Health Inspector

Jessica.Lee6@albertahealthservices.ca

Contact Safe Healthy Environments at 1-833-476-4743 or [submit a request online at ahs.ca/eph.](#)

Child care, food, personal services, and pool inspection reports are now available online at [ahs.ca/inspections.](#)

Inspection Date	Inspection Type	Inspection SubType	Inspection ID
2026-05-15	Risk Management Inspection	Offsite Assessment	0000664919

INSPECTION REPORT

Name of Establishment		Owner / Agents Name	
Main Unit: Next Gen DayCare Subunit: Next Gen DayCare - Playground, Playgrounds/Play Areas - SCF Subunit ID: 0000303008		2438207 Alberta Ltd. Report Discussed With: N/A Report Sent To: Nik Delivery Method: Email	
Site Address	Rural Address	Mailing Address	
261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada		261 - 200 Southridge Drive Okotoks AB T1S 0B2 Canada	

Opening Comments

Received Triax Testing Report From Little Horn Enterprises Ltd.
Results indicate the protective surfacing is compliant with CSA Z614:20

Compliance Record

1 Play Equipment and Areas (Critical) - Critical

1.1 02. Are play areas and equipment constructed and maintained in a manner that ensures client safety (Critical)?

First Cited: 2026-05-07

Compliance Result: YES - In Compliance

Description: Triax test must be performed to demonstrate that the protective surfacing installed meets CSA Standards.

**Provide test reports.

***RECEIVED AND PASSES.

Target Completion Date: 2026-06-01

Closing Comments

Playground is satisfactory.

Inspection Actions Taken:

- No Action Required

- Violations Corrected

Should you have any questions regarding this report, you can get in touch with me using the contact information below.

Jessica Lee

Public Health Inspector

Jessica.Lee6@albertahealthservices.ca

Contact Safe Healthy Environments at 1-833-476-4743 or [submit a request online at ahs.ca/eph.](#)

Child care, food, personal services, and pool inspection reports are now available online at [ahs.ca/inspections.](#)